

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

he Application of

STENTON, Stuart Philip et al.

U.S. Patent Application No. 10/629,849

Group Art Unit: 2682

Filed: July 30, 2003

Examiner: Unassigned

For: A COMMUNICATION INFRASTRUCTURE

TRANSMITTAL OF CERTIFIED PRIORITY DOCUMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

At the time the above application was filed, priority was claimed based on the following application:

British Application No. 0217869.7, filed July 31, 2002.

A certified copy of the priority application is enclosed.

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP

Allan M. Lowe

Registration No. 19,641

1700 Diagonal Road, Suite 300 Alexandria, Virginia 22314 (703) 684-1111 (703) 518-5499 Facsimile Date: December 30, 2003

AML/gmj







The Patent Office Concept House Cardiff Road Newport South Wales NP10 800

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed


Dated

Patents Form 1/77



Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



NEWPORT

P01/7700 Ø.00-0217869

0217869.7

The Patent Office

Cardiff Road Newport South Wales NP10 8QQ

Your reference

300200056-1 GB

31 1111 2002

- Patent application number (The Patent Office will fill in this part)
- 3. Full name, address and postcode of the or of

each applicant (underline all surnames)

00496588001

If the applicant is a corporate body, give the

Patents ADP number (if you know it)

country/state of its incorporation

A Communication Infrastructure

Hewlett-Packard Company 3000 Hanover Street Palo Alto CA 94304, USA

Delaware, USA

- Title of the invention
- Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Richard A. Lawrence Hewlett-Packard Ltd, IP Section Filton Road, Stoke Gifford Bristol BS34 8QZ

Patents ADP number (if you know it)

67448038061

If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number (if you know it)

Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

a) any applicant named in part 3 is not an inventor, or

- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body. See note (d))

Yes

A COMMUNICATION INFRASTRUCTURE

This invention relates to a communication infrastructure and more particularly to the integration of a low bandwidth cellular telecommunications network with a high bandwidth wireless local area network.

Conventional cellular telecommunications networks have a distribution of cell sites which define a cellular coverage for the network. Typically, the size of a cell can be from 1 to 20 miles in diameter depending upon terrain and transmission power. Cellular telecommunication networks offer a low bandwidth communication channel with data rates up to 114 kbps for general packet radio services (GPRS) packet-based services. The main advantage of cellular telecommunications network is the wide ranging cellular coverage available.

Wireless local area networks (LANs) operating to the IEEE 802.11 standards are now commonly available but suffer from a restricted range in the region of 150 feet whilst offering data rates of up to 11Mbps (802.11b) and 54Mbps (802.11a).

Accordingly, one aspect of the present invention provides a communication infrastructure comprising: a cellular telecommunications network having a distribution of cell sites defining a cellular coverage of the network; a matrix of wireless local area networks (WLANs) each of which is connected to the cellular telecommunications network over a private data network, at least some of the WLANs in the matrix falling within the cellular coverage of the cellular telecommunications network; and a plurality of mobile communication devices having both cellular communications network and wireless LAN connectivity.

Preferably, the matrix of wireless LANS are registered with a wireless Internet service provider.

Conveniently, the private data network is a virtual private network.

Advantageously, the WLANs making up the matrix are selectively activated upon a request from the cellular telecommunications network in dependence on the location of a mobile communication device in a cell.

Preferably, wireless roaming between WLANs in the matrix is enabled.

Conveniently, only WLANs within range of a mobile communication device are activated upon a request from the cellular telecommunication network.

Advantageously, the mobile communications device is a battery operated normally on device.

Conveniently, the wireless LANs in the matrix are selected from the group consisting of: 802.11a, 802.11b and 802.11e.

Preferably, the wireless Internet service provider comprises the cellular telecommunications network provider.

Advantageously, the cellular telecommunications network provides low bandwidth services to the mobile communication devices and the matrix of WLANs provides high bandwidth services to the mobile communication devices.

Conveniently, a mobile communication device is connectable to a WLAN in the matrix upon a request from the cellular telephone network to the WLAN over the private data network.

Preferably, the cell sites are connected to a mobile telephone switching office (MTSO) connected to a public switched telephone network (PSTN).

Another aspect of the present invention provides a method of integrating a low bandwidth cellular telecommunications network with a high bandwidth wireless local area network (WLAN) comprising the steps of: providing a mobile communication device with cellular telecommunication network connectivity and WLAN connectivity; the cellular telecommunication network authorising connection of the mobile communication device to a wireless LAN over a private data network; and connecting the mobile communication device to the wireless LAN.

A further aspect of the present invention provides a mobile communication device incorporating a wireless LAN chip set and a cellular telecommunication modem set to enable cellular telecommunication network connectivity and wireless LAN connectivity.

A further aspect of the present invention provides a cellular telecommunication network adapted to: determine when a mobile communication device connected to the cellular telecommunication network may be able to access one or more specified wireless local area networks; obtain authorisation for the mobile communication device to use the one or more specified wireless local area networks; and provide to the mobile communication device information enabling the mobile communication device to use the one or more specified wireless local area networks.

In order that the present invention may be more readily understood, embodiments thereof will now be described, by way of example, with reference to the accompanying drawing, in which the Figure is a schematic representation of a communication infrastructure embodying the present invention.

Referring to the Figure, the communication infrastructure 1 embodying the present invention comprises a marriage between a cellular telecommunications network 2 and a matrix of wireless local area networks 3. In the cellular telecommunication network 2, a Mobile Telephone Switching Office (MTSO) 4 is connected to a plurality of cell sites 5, each of which defines a cell 6 - the so called cellular coverage for that cell site 5. The cells 6 are shown schematically in Figure 1 as circles of fixed diameter although the size and shape of each cell 6 will vary in dependence upon terrain and transmitter power. Typically, the cells 6 in the cellular telecommunication network 2 will overlap one another. In operation, a plurality of mobile communication devices 7, falling within a cell 6 are able to communication via the associated cell site 5 to other mobile communication devices 7 or to a public switched telephone network (PSTN) 8, connected to the Mobile Telephone Switching Office 4.

The growing proliferation of wireless local area networks 3 especially within urban environments, airports, train stations and the like, means that there is growing coverage allowing connection of mobile communication devices to wireless LANs 3. Preferably, the wireless LANs are IEEE 802.11a, 802.11b or 802.11e wireless LANs.

The wireless LANs 3 may be entirely independent of one another or be owned by businesses or individuals within a location and may be primarily intended for use of those businesses or individuals. However, the wireless LANs 3 may

each be connected over a private data network 9 (virtual private network) to the Internet 10 for connection to services but also for administration and billing purposes to a wireless Internet service provider 11.

In this embodiment of the present invention, the wireless Internet service provider 11 may own, or control access to, or be able to authorise access by third parties to the wireless LANs 3 meeting the wireless Internet service provider's quality of service and security criteria. The wireless LANs 3 therefore make up a matrix of wireless LANs 3 offering considerable coverage. The controlling function of the wireless Internet service provider allows mobile communication devices 7 equipped with wireless LAN cards or chip sets 12 to communicate with wireless LANs 3 and via the private data network 9 provided by the wireless LAN 3 to communicate with remote servers or other service providers accessible over the Internet or the like.

The controlling function of the wireless Internet service provider 11 also allows wireless LAN roaming between neighbouring or overlapping wireless LAN coverage areas 13 allowing a mobile communication device 7 to be handed over from one wireless LAN 3 to another wireless LAN 3 in the same matrix - i.e. a group of local wireless LANs under the control of, or registered with, the wireless Internet service provider.

Referring to the Figure, this shows a route of a user having a mobile communication device 7 passing through a matrix of wireless LANs, the emboldened circles representing cells which have been activated within the matrix and the other cells not being activated since they are not along the route

of the mobile communication device 7.

Since the wireless LANs 3 need not necessarily be owned by the wireless Internet service provider 11, the wireless LAN 3 owners would register with the wireless Internet service provider 11 who would impose quality and integrity constraints and compensate the owner of the wireless LANs 3 for the third party or public usage of their wireless LANs 3, such use being logged by the wireless Internet service provider 11 and transmitted to the cellular telecommunications network 2 operator.

The wireless LANs 3 may also provide site-specific services to the mobile communication devices 7 including advertising, possibly in lieu of recompense by the wireless Internet service provider 11.

The mobile communication devices 7 populating the above-mentioned telecommunications infrastructure embodying the present invention incorporate both cellular telecommunication connectivity (modem cards 13) and wireless LAN connectivity (wireless LAN chip sets 12) and are thus able to benefit from the low bandwidth services provided by the cellular telecommunication network 2 as well as the high bandwidth services which can be provided by the matrix of wireless local area networks 3. However, because of the limited range of wireless LANs 3 and the need for users normally to keep their mobile communication devices 7 switched on so as to receive urgent calls or information, the normally battery-operated mobile communication devices 7 cannot sustain long periods of constant use transmitting and receiving information on a high bandwidth communication channel. Accordingly, "always on" wireless LAN reception is not always desirable on such small, battery operated devices. Thus, the mobile communication devices 7 embodying the present invention, whilst allowing connectivity to both the cellular telecommunications network 2 and wireless LANs 3 are normally left "always on" in only the cellular telecommunication network mode which

requires less power than the wireless LAN mode. When a user of a mobile communication device requires access to a high bandwidth connection, then the user can request this through the cellular telecommunications network. In the example shown in Figure 1, either a cell site 5 within which the mobile user is located or the MTSO 4 would request of the wireless Internet service provider 11 that wireless local area networks 3 in the vicinity of the user are activated and made available to the mobile communication device 7. Upon actuation by the service provider of a wireless LAN 3 within range of the mobile communication device 7, the user can then partake of the high bandwidth service requested through the wireless LANs 3 as required.

The wireless Internet service provider 11 automatically renumerates the owner of the wireless LAN 3 used to provide the high bandwidth service to the mobile user and the user would be billed centrally either directly by the wireless Internet service provider 11 or, if the wireless Internet service provider is integrated with or associated with the Mobile Telephone Switching Office 4, then the billing can be done centrally through the cellular telecommunication network providers facilities.

The wireless LAN roaming facility allows wireless LANs 3 to be selectively activated so that not all wireless LANs within the matrix of wireless LANs are activated but only those within range of the mobile communication device 7 requesting the high bandwidth service. This ability can be tied in with the location identifying features of a cellular telecommunication network 2 to activate only those cells in immediate proximity or within range of selected wireless LANs 3 so as to minimise the number of wireless LANs 3 that must be activated to provide the requested high bandwidth service to the mobile communication device 7.

In the present specification "comprises" means "includes or consists of" and "comprising" means "including or consisting of".

The features disclosed in the foregoing description, or the following claims, or the accompanying drawings, expressed in their specific forms or in terms of a means for performing the disclosed function, or a method or process for attaining the disclosed result, as appropriate, may, separately, or in any combination of such features, be utilised for realising the invention in diverse forms thereof.



CLAIMS:

- 1. A communication infrastructure comprising:
 - a cellular telecommunications network having a distribution of cell sites defining a cellular coverage of the network;
 - a matrix of wireless local area networks (WLANs) each of which is connected to the cellular telecommunications network over a private data network, at least some of the WLANs in the matrix falling within the cellular coverage of the cellular telecommunications network; and
 - a plurality of mobile communication devices having both cellular communications network and wireless LAN connectivity.
- 2. An infrastructure according to Claim 1, wherein the matrix of wireless LANS are registered with a wireless Internet service provider.
- 3. An infrastructure according to any preceding claim wherein the private data network is a virtual private network.
- 4. An infrastructure according to any preceding claim, wherein the WLANs making up the matrix are selectively activated upon a request from the cellular telecommunications network in dependence on the location of a mobile communication device in a cell.
- 5: An infrastructure according to any preceding claim, wherein wireless roaming between WLANs in the matrix is enabled.

- 6. An infrastructure according to Claim 5, wherein only WLANs within range of a mobile communication device are activated upon a request from the cellular telecommunication network.
- 7. An infrastructure according to any preceding claim, wherein the wireless LANs in the matrix are selected from the group consisting of: 802.11a, 802.11b and 802.11e.
- 8. An infrastructure according to any preceding claim, wherein the wireless Internet service provider comprises the cellular telecommunications network provider.
- 9. An infrastructure according to any preceding claim, wherein the mobile communications device is a battery operated normally on device.
- 10. An infrastructure according to any preceding claim, wherein the cellular telecommunications network provides low bandwidth services to the mobile communication devices and the matrix of WLANs provides high bandwidth services to the mobile communication devices.
- 11. An infrastructure according to any preceding claim, wherein a mobile communication device is connectable to a WLAN in the matrix upon a request from the cellular telephone network to the WLAN over the private data network.
- 12. An infrastructure according to any preceding claim, wherein the cell sites are connected to a mobile telephone switching office (MTSO) connected to a public switched telephone network (PSTN).

13. A method of integrating a low bandwidth cellular telecommunications network with a high bandwidth wireless local area network (WLAN) comprising the steps of:

providing a mobile communication device with cellular telecommunication network connectivity and WLAN connectivity;

the cellular telecommunication network authorising connection of the mobile communication device to a wireless LAN over a private data network; and

connecting the mobile communication device to the wireless LAN.

- 14. A mobile communication device incorporating a wireless LAN chip set and a cellular telecommunication modem set to enable cellular telecommunication network connectivity and wireless LAN connectivity.
- 15. A mobile communication device as claimed in claim 14 having a processor programmed to receive authorisation to use a specified wireless LAN from a cellular telecommunication network provider over the cellular telecommunication modem and to use the wireless LAN chip set to access the specified wireless LAN.
- 16. A cellular telecommunication network adapted to:

determine when a mobile communication device connected to the cellular telecommunication network may be able to access one or more specified wireless local area networks;

obtain authorisation for the mobile communication device to use the one or more specified wireless local area networks; and

provide to the mobile communication device information enabling the mobile communication device to use the one or more specified wireless local area networks.

- 17. A cellular telecommunications network further adapted to activate the one or more specified wireless local area networks.
- 18. A cellular telecommunications network according to claim 16 or claim 17, wherein determine of whether the mobile communication device may be able to access the one or more specified wireless local area networks is made in dependence on the location of a mobile communication device in a cell.
- 19. A communication infrastructure substantially as hereinbefore described with reference to and as shown in the accompanying drawing.
- 20. A method of integrating a low bandwidth cellular telecommunications network with a high bandwidth wireless local area network substantially as hereinbefore described with reference to and as shown in the accompanying drawing.
- 21. A mobile communication device substantially as hereinbefore described with reference to and as shown in the accompanying drawing.
- 22. A cellular telecommunication network substantially as hereinbefore described with reference to and as shown in the accompanying drawing.

